

11-21-90

A

FISH & RICHARDSON P.C.

225 Franklin Street
Boston, Massachusetts
02110-2804

Telephone
617 542-5070

Facsimile
617 542-8906

Web Site
www.fr.com

JC815 U.S. PTO
09/716717

11/20/00

November 20, 2000

Attorney Docket No.: 11333-013001

Box Patent Application

Commissioner for Patents
Washington, DC 20231

Presented for filing is a new original patent application of:

Applicant: Hansen et al.

Title: **A DEVICE REGISTRATION MECHANISM**

Enclosed are the following papers, including those required to receive a filing date under 37 CFR §1.53(b):

	Pages
Specification	12
Claims	9
Abstract	1
Declaration	2
Drawing(s)	4

Enclosures:

- Information Disclosure Statement and one (1) reference.
- Postcard.

Basic filing fee (Applicant is a Small Entity)	\$355
Total claims in excess of 20 times \$9	\$252
Independent claims in excess of 3 times \$40	\$40
Fee for multiple dependent claims	\$0
Total filing fee:	\$647

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL 485673765US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

November 20, 2000
Date of Deposit

Samantha Bell
Signature

Samantha Bell
Typed or Printed Name of Person Signing Certificate

BOSTON

DALLAS

DELAWARE

NEW YORK

SAN DIEGO

SILICON VALLEY

TWIN CITIES

WASHINGTON, DC

Frederick P. Fish
1855-1930

W.K. Richardson
1859-1951

JC903 U.S. PTO

11/20/00

FISH & RICHARDSON P.C.

Commissioner for Patents

November 20, 2000

Page 2

A check for the filing fee is enclosed. Please apply any other required fees or any credits to deposit account 06-1050, referencing the attorney docket number shown above.


If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (617) 542-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

ERIC L. PRAHL
Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804

Respectfully submitted,



Brian J. Colandreo
Reg. No. 42,427
Enclosures
BJC/lxf
20140888.doc

JC903 U.S. PRO
11/20/00

09746747 112000

Figure 1 consists of 12 bar charts, labeled (a) through (l), each representing a different fish species. The species are: (a) Atlantic croaker, (b) Striped bass, (c) Weakfish, (d) Spot, (e) Blue crab, (f) Rockfish, (g) Atlantic silverside, (h) Atlantic herring, (i) Atlantic menhaden, (j) Atlantic bluefish, (k) Atlantic tomcod, and (l) Atlantic sand lance. Each chart shows the percentage of total catch for that species from 1990 to 2001. The y-axis for all charts is 'Percent of total catch' and ranges from 0 to 100. The x-axis is 'Year' and ranges from 1990 to 2001. Error bars are present for each data point. The data shows varying trends for each species over the 12-year period.

EL 485673765 US

A Device Registration Mechanism

TECHNICAL FIELD

This invention relates to remote device registration, and more particularly to automated remote device registration which automatically transmits pertinent data to a remote computer.

BACKGROUND

Intelligent devices are employed in various areas today. These devices are utilized in building control and automation systems, power generation systems, industrial controls, and so forth. When these devices are deployed in the field, they often need to communicate with a remote computer system, which monitors information from these devices or controls the devices themselves.

The proliferation of the Internet, home networks, and wireless technology are some of the driving forces behind the increased use of these devices, as the cost of connecting them is dropping quickly.

When configuring these devices, the user must manually register them once they are connected to the network that attaches the device to the remote computer. As the use and number of these devices increase, an automatic method of registering these devices and establishing communication is needed, as it is not feasible to manually maintain device information.

SUMMARY

According to an aspect of this invention, an automated device recordation and registration process for automatically registering, on a remote computer, an embedded device includes a feature detection process for detecting feature information associated with a device to be registered. A feature transmission process transmits the feature information to a remote computer at a known address using a self-describing computer language. A registration process registers the device by storing the feature information on the remote computer.

One or more of the following features may be included. The self-describing computer language includes eXtensible Markup Language (XML). The known address is a

Uniform Resource Locator (URL). The known address is a Transmission Control Protocol/Internet Protocol (TCP/IP) address. The feature information includes a device type and a device instance. The device type is a model number and the device instance is a serial number. The remote computer includes a database for storing the feature information. The device registration process includes a device registration status process for examining the database to determine if the device was previously registered on the remote computer and initiating the registration process if the device is not registered. The remote computer resides on a distributed computing network and the feature transmission process transmits the feature information to the remote computer via the distributed computing network. The distributed computing network is the Internet. The device is connected to the distributed computing network via a direct network connection. The device is connected to the distributed computing network via a dial-up network connection. The device is connected to the distributed computing network via a wireless network connection.

One or more of the following features may be included. The device includes embedded software which controls the device's functionality, where the embedded software has a specific version identifier associated with it. The database stores a software update, having a specific version identifier associated with it, for the embedded software of the device, where the software update is the newest version of embedded software available for the device. The device registration process includes a software comparison process for comparing the version identifier of the software update to the version identifier of the embedded software of the device to determine if the embedded software of the device needs to be updated. The device registration process includes a software update process, responsive to the software comparison process determining that the embedded software needs to be updated, for updating the embedded software residing on the device with the software update.

One or more of the following features may be included. The feature information includes system information concerning the location, ownership, and configuration of the device. The device registration process includes a system information interface for allowing the owner of the device to configure the system information. The device includes a HyperText Transfer Protocol (HTTP) device web server and the system information interface is a software application residing on the device web server, where the owner of the device

can edit the system information of the device by accessing the system information interface via a remote web client. The device registration process includes a system information transmission process for transmitting the system information to the remote computer using the self-describing computer language and for storing the system information on the database of the remote computer. The system information transmission process includes a system information comparison process for comparing the system information on the remote computer to the system information on the device to determine if the database on the remote computer needs to be updated with the system information on the device. The system information transmission process includes a system information upload process, responsive to the system information comparison process determining that the system information on the database needs to be updated, for updating the system information on the database with the system information on the device.

One or more of the following features may be included. The device includes a device web client and the remote computer includes a HyperText Transfer Protocol (HTTP) remote web server. The remote computer includes an application logic to interface the remote web server and the database. The feature transmission process utilizes the device web client to upload the feature information from the device to the remote web server, where the application logic transfers the feature information from the remote web server to the database. The device includes a device mail client and the remote computer includes a Simple Mail Transfer Protocol (SMTP) remote mail server. The remote computer includes an application logic to interface the remote mail server and the database. The feature transmission process utilizes the device mail client to upload the feature information from the device to the remote mail server, where the application logic transfers the feature information from the remote mail server to the database.

According to a further aspect of this invention, a computer implemented method for registering, on a remote computer, a device embedded in an apparatus, includes detecting feature information associated with a device to be registered. The method transmits the feature information to a remote computer at a known address using a self-describing computer language. The method registers the device by storing the feature information on the remote computer.

One or more of the following features may be included. The computer implemented method further includes examining the database to determine if the device was previously registered on the remote computer and initiating the registration process if the device is not registered. The computer implemented method includes comparing the version identifier of the software update to the version identifier of the embedded software of the device to determine if the embedded software of the device needs to be updated. The computer implemented method includes updating the embedded software residing on the device with the software update if it is determined that the embedded software needs to be updated. The computer implemented method further includes transmitting the system information to the remote computer using the self-describing computer language and storing the system information on the database of the remote computer. The computer implemented method further includes comparing the system information on the remote computer to the system information on the device to determine if the database on the remote computer needs to be updated with the system information on the device. The computer implemented method further includes updating the system information on the database with the system information on the device. if it is determined that the system information on the database needs to be updated.

According to a further aspect of this invention, a computer program product residing on a computer readable medium having a plurality of instructions stored thereon which, when executed by the processor, cause that processor to detect feature information associated with a device to be registered. The computer program product transmits the feature information to a remote computer at a known address using a self-describing computer language. The computer program product registers the device by storing the feature information on the remote computer.

According to a further aspect of this invention, a processor and memory are configured to detect feature information associated with a device to be registered. The processor and memory transmit the feature information to a remote computer at a known address using a self-describing computer language. The processor and memory register the device by storing the feature information on the remote computer.

One or more advantages can be provided from the above. The user may quickly and easily register numerous devices. The user can configure devices without having to manually

establish a communication link between the devices and the remote computer. The user can register devices without having to manually enter device-specific information into the remote computer. The devices may be automatically reconfigured with updated software packages. The user may remotely administer all devices using a standard web browser.

5 The details of one or more embodiments of the invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the description and drawings, and from the claims.

DESCRIPTION OF DRAWINGS

FIG. 1 is a diagrammatic view of the device registration process;

10 FIG. 2 is a flow chart of the device registration method;

FIG. 3. is a diagrammatic view of another embodiment of the device registration process, including a processor and a computer readable medium, and a flow chart showing a sequence of steps executed by the processor; and

15 FIG. 4. is a diagrammatic view of another embodiment of the device registration process, including a processor and memory, and a flow chart showing a sequence of steps executed by the processor and memory.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION

Referring to Fig. 1, there is shown an automated device recordation and registration
20 process 10 for automatically registering, on a remote computer 12, an embedded device 14. Process 10 typically resides on and is incorporated into device 14. Device 14 is connected to a distributed computing network 16. Link 17, which connects device 14 to distributed computing network 16, can be any form of network connection, such as: a dial-up network connection via a modem (embedded into device 14); a direct network connection via a
25 network interface card (embedded into device 14); a wireless network connection via any form of wireless communication chipset (embedded into device 14); and so forth. Distributed computing network 16 could be the Internet, an intranet, an extranet, a local area network (LAN), a wide area network (WAN), or any other form of network.

Process 10 includes feature detection process 18 for detecting feature information 20
30 associated with the device 14 to be registered. Feature information 20 is stored in device 14

on any standard memory storage device (not shown), such as: random access memory; read only memory; a hard disk drive; etc. This standard memory storage device is incorporated into device 14. Feature information 20 can include many different pieces of information which are associated with device 14 itself. For example: a device type 22 may specify the device name or model number (e.g. "OCD 950" or "HimaLaya") of device 14; a device instance 24 may specify a serial number of device 14; and system information 26 may specify various pieces of device or owner specific information (e.g. owner name, device location, device software version, device configuration, installed device options, installed device peripherals, etc.).

Process 10 includes a feature transmission process 28 for transmitting feature information 20 to remote computer 12 which resides at a known address on distributed computing network 16. This known address can be in the form of a Uniform Resource Locator (URL) address (e.g. www.remotecomputer.com) or a Transmission Control Protocol / Internet Protocol (TCP/IP) address (e.g. 209.6.72.87). This known address is included in feature information 20. Feature transmission process 28 transmits feature information 20 to remote computer 12 using a self-describing computer language, such as eXtensible Markup Language (XML). Remote computer 12 is typically a network server residing on distributed computing network 16.

A registration process 30 registers device 14 by sending feature information 20 to remote computer 12 where it is stored. Remote computer 12 can store feature information 20 on any standard memory storage device (not shown), such as: random access memory; read only memory; hard disk drives; RAID (redundant array of independent disks) arrays; etc. This standard memory storage device is incorporated into remote computer 12.

Remote computer 12 includes database 32 for storing feature information 20.

Database 32 is typically a relational database such as Oracle™, Sybase™, or Access™.

Registration process 30 typically encompasses remote computer 12 establishing or updating a record 34 on database 32 for device 14, where record 34 includes feature information 20, namely device type 22, device instance 24 and system information 26 (shown, for illustrative purposes, as "T, I, S" in record 34).

Process 10 includes a device registration status process 36 for examining database 32 to determine if device 14 was previously registered on remote computer 12. As device 14

includes a device instance 24 (typically a serial number), device registration status process 36 will examine database 32 to see if a record 34 exists on database 32 for device 14. In the event that device 14 has not been registered on database 32 (or the information on database 32 is incorrect/outdated), device registration status process 36 will initiate registration process 30 to register device 14 on database 32. This process 36 can be instituted at various times to ensure that device 14 is registered on database 32. For example, each time device 14 is powered-up (i.e. the device power is turned on), device registration status process 36 can determine whether device 14 is registered on remote computer 12. Accordingly, whenever a device 14 is initially installed and powered-up, registration is automatic; as device registration status process 36 will communicate over distributed computing network 16 and check remote computer 12 to determine if device 14 is registered on database 32. This results in a system in which registration is automatic.

Device 14 includes embedded software 38 which controls the functionality of device 14. Device 14 can be any of a large number of possibilities. Typical examples of device 14 might be: valve actuators in industrial controls; damper actuators in building automation systems; switch actuators in power generation systems; and so forth. Accordingly, the functionalities that embedded software 38 in these particular devices 14 would control are: the opening and closing of the valve; the opening and closing of the damper; and the opening or closing of the switch, respectively. As with most software packages, a software version number 40 is associated with embedded software 38 to facilitate easy software version comparison. Database 32 stores a software update 42 having a specific software version number 44 associated with it, where software update 42 is the newest version of embedded software 40 available for device 14.

Software comparison process 46 compares the version identifier 40 of embedded software 38 to the version identifier 44 of software update 42 to determine if the software update is newer (e.g. has a higher or newer version identifier) than the embedded software 38 installed on device 14. In the event that software comparison process 46 determines that software update 42 is newer than embedded software 38, embedded software 38 will be updated with software update 42.

Software update process 48, which is initiated in response to software comparison process 46 determining that embedded software 38 needs to be updated, retrieves software

update 42 from remote computer 12 via distributed computing network 16. Accordingly, software update 42 is installed of device 14 by software update process 48 and embedded software 38 is either deleted, deactivated, or overwritten.

Device 14 includes a HyperText Transfer Protocol (HTTP) device web server 50.

5 System information interface 52 resides on device web server 50 and is written in a language executable by device web server 50 (e.g. CGI, ISAPI, Java Servlets, ASP, and so forth). System information interface 52 allows the owner 54 of device 14 to access and edit system information 26 via some form of remote web client 56 executed on remote workstation 57. Examples of remote web client 56 would be any form of web browser (e.g. Microsoft
10 Internet Explorer™, Netscape Navigator™, and so forth), or any form of custom application interface which allows owner 54 to access and modify system information 26 stored on device 14.

Whenever user 54 modifies system information 26 via system information interface 52, system information transmission process 54 transmits this “newly modified” system
15 information 26 from device 14 to remote computer 12 for storing in database 32. System information transmission process 54 transmits system information 26 to remote computer 12 using a self-describing computer language, such as eXtensible Markup Language (XML).

System information transmission process 54 includes system information comparison
20 process 56 for comparing system information 26 stored on device 14 to the system information (shown a “S” in item 34) stored on database 32 of remote computer 12 to determine if database 32 needs to be updated. As system information 26 is “owner editable” by owner 54, in the event that the system information on device 14 differs from the system information of database 32, database 32 needs to be updated with system information 26.

System information transmission process 54 includes a system information upload
25 process 58. In the event that system information comparison process 56 determines that the system information on device 14 varies from the system information on database 32, system information upload process 58 transmits system information 26 from device 14 to remote computer 12 via distributed computing network 16. Accordingly, system information 26 is stored on database 32 of remote computer 12 and the “outdated” system information is either
30 deleted, deactivated, or overwritten.

Device 14 includes a device web client 60 and remote computer 12 includes a HyperText Transfer Protocol (HTTP) remote web server 62. Application logic 64 interfaces remote web server 62 and database 32. Feature transmission process 28 utilizes device web client 60 to upload feature information 20 from device 14 to remote web server 62.

5 Application logic 64 transfers feature information 20 from remote web server 62 to database 32.

Device 14 includes a device mail client 66 and remote computer 12 includes a Simple Mail Transfer Protocol (SMTP) remote mail server 68. Application logic 64 interfaces remote mail server 68 and database 32. Feature transmission process 28 utilizes device mail
10 client 66 to upload feature information 20 from device 14 to remote mail server 68. Application logic 64 transfers feature information 20 from remote mail server 68 to database 32.

Now referring to Fig. 2, there is shown a method 100 for registering, on a remote computer, a device embedded in an apparatus. A feature detection process detects 102 feature
15 information associated with a device to be registered. A feature transmission process transmits 104 that feature information to a remote computer at a known address using a self-describing computer language. The self-describing computer language includes eXtensible Markup Language (XML) and the known address can be a Uniform Resource Locator (URL), a Transmission Control Protocol/Internet Protocol (TCP/IP) address, and so forth. A
20 registration process then registers 106 the device by storing the feature information on the remote computer. The remote computer includes a database for storing this feature information. The feature information can include many different pieces of information associated with the device itself, such as: a device type which specifies the device name or model number (e.g. "OCD 950" or "HimaLaya") of a device; a device instance which
25 specifies a serial number of the device or some other unique identifier (such as a UUID Universally Unique Identifier); and system information which specifies various pieces of device or owner specific information (e.g. owner name, device location, device software version, etc.).

A device registration status process examines 108 the database to determine if the
30 device was previously registered on the remote computer. If the device is not registered, the device registration status process initiates 110 the registration process. The device includes

embedded software which controls the device's functionality, where the embedded software has a specific version identifier associated with it. The database of the remote computer stores a software update, which has a specific version identifier associated with it, for the embedded software of the device. This software update is the newest version of embedded software available for the device. A software comparison process compares 112 the version identifier of the software update to the version identifier of the embedded software of the device to determine if the embedded software of the device needs to be updated. If it is determined that the embedded software needs to be updated, a software update process updates 114 the embedded software residing on the device with the software update.

A system information interface allows the owner of the device to configure the system information. A system information transmission process transmits 116 the system information to the remote computer using the self-describing computer language. The system information transmission process then stores 118 the system information on the database of the remote computer. A system information comparison process makes a comparison 120 between the system information on the remote computer and the system information on the device to determine if the database on the remote computer needs to be updated with the system information on the device. If it is determined that the system information on the database needs to be updated, a system information upload process updates 122 the system information on the database with the system information on the device

Now referring to Fig. 3, there is shown a computer program product 150 which is stored and executed on a device to be automatically registered on a remote computer. Computer program product resides on a computer readable medium 152 having a plurality of instructions 154 stored thereon. When executed by processor 156, instructions 154 cause processor 156 to detect 158 feature information associated with a device to be registered. Computer program product 150 transmits 160 the feature information to a remote computer at a known address using a self-describing computer language, and registers 162 the device by storing the feature information on the remote computer.

Typically embodiments of computer readable medium 152 are: hard drive 164; optical drive 166; random access memory 168; tape drive 170; RAID array 172; and read only memory 174.

Now referring to Fig. 4, there is shown a processor 200 and memory 202 configured to detect 204 feature information associated with a device to be registered. Processor 200 and memory 202 transmits 206 the feature information to a remote computer at a known address using a self-describing computer language, and registers 208 the device by storing the feature information on the remote computer.

Processor 200 and memory 202 may be incorporated into a personal computer 210, a programmable logic controller 212, a single board computer 214, or an array of network servers 216.

A number of embodiments of the invention have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the invention.

WHAT IS CLAIMED IS:

2 comparing the system information on said remote computer to the system
3 information on said device to determine if said database on said remote computer
4 needs to be updated with said system information on said device.

- 1 46. The computer implemented method of claim 45 further comprising:
2 updating said system information on said database with said system
3 information on said device if it is determined that said system information on said
4 database needs to be updated.

1 47. A computer program product residing on a computer readable medium having a
2 plurality of instructions stored thereon which, when executed by the processor, cause that
3 processor to:

4 detect feature information associated with a device to be registered;
5 transmit said feature information to a remote computer at a known address
6 using a self-describing computer language; and
7 register said device by storing said feature information on said remote
8 computer.

1 48. A processor and memory configured to:
2 detect feature information associated with a device to be registered;
3 transmit said feature information to a remote computer at a known address
4 using a self-describing computer language; and
5 register said device by storing said feature information on said remote
6 computer.

ABSTRACT

An automated device recordation and registration process for automatically registering, on a remote computer, an embedded device is described. The registration process includes a feature detection process for detecting feature information associated with a device to be registered. A transmission process transmits the feature information to a remote computer at a known address using a self-describing computer language. A registration process registers the device by storing the feature information on the remote computer.

10

20137602




Fig. 1




Fig-3

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled, A DEVICE REGISTRATION MECHANISM the specification of which:

- ☒ is attached hereto.
☐ was filed on _ as Application Serial No. _ and was amended on _____.
☐ was described and claimed in PCT International Application No. _____ filed on _____ and as amended under PCT Article 19 on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim the benefit under Title 35, United States Code, §119(e)(1) of any United States provisional application(s) listed below:

U.S. Serial No.	Filing Date	Status

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Serial No.	Filing Date	Status

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Country	Application No.	Filing Date	Priority Claimed
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Eric L. Prah, Reg. No. 32,590
 Denis G. Maloney, Reg. No. 29,670

Frank R. Occhiuti, Reg. No. 35,306
 Brian J. Colandreo, Reg. No. 42,427

DOCKET 11333-013001

Combined Declaration and Power of Attorney

Page 2 of 2 Pages

Address all telephone calls to ERIC L. PRAHL at telephone number (617) 542-5070.


Address all correspondence to ERIC L. PRAHL at:

FISH & RICHARDSON P.C.
225 Franklin Street
Boston, MA 02110-2804

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name of Inventor: James R. Hansen

Inventor's Signature:



Date: Nov 16, 2000

Residence Address: 44 Dover Circle, Franklin, MA 02038

Citizenship: United States of America (USA)

Post Office Address: 44 Dover Circle, Franklin, MA 02038

Full Name of Inventor: Dale E. Calder

Inventor's Signature:



Date: Nov 17, 2000

Residence Address: 179 York Road, Mansfield, MA 02048

Citizenship: United States of America (USA)

Post Office Address: 179 York Road, Mansfield, MA 02048